


## ALLNET DIN-RAIL wall mount enclosure, T220mm, light gray, IP66, SP, 16x M25 ALL-DIN-101-AC

**>>> Go to the shop article**



### EAN CODE



### Highlights:


- 3PIN AC100~240V Power INPUT
- 2P circuit breaker 10A included
- 2P SPD surge protection device / surge arrester
- 1x 4 port LC single mode fiber tray
- 16x M25 cable connector outputs/inputs
- IP66 waterproof enclosure and suitable for long term outdoor use.
- DIN rail for mounting of additional end devices like switches or power supplies (see accessories)
- Incl. metal band for pole mounting


The ALL-DIN-101-AC defines itself as a first-class solution for outdoor use of IT end devices, equipped with a DIN rail. This enclosure combines a number of outstanding features that make it a groundbreaking choice.

Inside the enclosure, there are not only double rated 2P circuit breakers with 2 protective poles, but also a 2P SPD surge suppressor and a convenient AC grounding outlet. In addition, it has a 4 port LC fiber optic single mode fiber tray and other innovative elements.

The enclosure's applications are diverse, ranging from sophisticated video surveillance solutions to reliable forest monitoring and establishing stable WIFI/radio connections.

With an impressive waterproof rating (IP66) and rust protection, the housing stands for long-lasting outdoor use. It can be mounted on walls as well as securely mounted on poles using the included metal pole strap. This housing sets new standards in terms of protection, versatility and robustness in the outdoor environment.





### Technical Details:

| Parameter                  | Specifications           |
|----------------------------|--------------------------|
| Power input                | AC100~240V, 50/60Hz, 10A |
| AC output                  | AC output 1 channel      |
| Fiber tray                 | 4*LC                     |
| Circuit breaker            | 2P 10A                   |
| Connector                  | 16*M25,waterproof        |
| Operating Temperature      | - 40°C ~ 75°C            |
| Storage Temperature        | -40°C ~ 85°C             |
| Humidity (no condensation) | 0~95%                    |
| Dimension(H×W×D)           | 500×380×220mm            |
| Material                   | Metal                    |
| Colour                     | White                    |
| Net-weight                 | 15kg                     |
| Mounting Option            | Wallmount and Polemount  |



## Attributes

| Attribute                            | Value                |
|--------------------------------------|----------------------|
| 19/10" Außenhöhe:                    | 500                  |
| 19/10" Breite:                       | 380                  |
| 19/10" Farben:                       | Lichtgrau            |
| 19/10" Schrankart:                   | Wandgehäuse          |
| 19/10" Schutzklasse IP:              | IP66                 |
| 19/10" Tiefe:                        | 220                  |
| 19/10" Türart:                       | Vollblechtür         |
| 19/10" Wandgehäuse 1- oder 2-teilig: | Wandgehäuse 1-teilig |
| 19/10"/DIN-Rail:                     | DIN-Rail             |
| Weight:                              | 15 Kg                |
| Warranty:                            | 24.00 Months         |

## Accessories

| Part No. | Name                                                                                                                                                |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| 189896   | ALLNET Switch industrial smart managed Layer2+ 16 Port GbE • PoE Budget 360W • 12x PoE+ • 4x SFP • Fanless • DIN • ALL-SGI8016PM                    |
| 223958   | ALLNET Switch industrial full managed Layer2+ 12 Port GbE • PoE Budget 240W • 8x PoE at • 4x SFP • Fanless • DIN • JSON API • ALL-SGI8112PMJ        |
| 223959   | ALLNET Switch industrial full managed Layer2+ 6 Port GbE • PoE Budget 120W • 4x PoE+ • 2x SFP • Fanless • DIN • JSON • ALL-SGI8106PMJ               |
| 207417   | ALLNET Switch industrial full managed Layer2+ 20 Port GbE • PoE Budget 240W • 8x PoE at • 8x GbE • 4x SFP • DIN • Fanless • ALL-SGI8120PM           |
| 131244   | Mean Well power supply - 48V 240W DIN rail                                                                                                          |
| 140522   | Mean Well power supply - 48V 120W DIN rail, narrow                                                                                                  |
| 146994   | Mean Well Power Supply - 48V 480W DIN Rail                                                                                                          |
| 219504   | Patchkabel RJ45, CAT6A 500Mhz, 3m, schwarz, S-STP(S/FTP), PUR Indoor/Outdoor/Indu (UV/Water/oil/-resistant), AWG26, mit CAT7 Rohkabel, Synergy 21   |
| 219506   | Patchkabel RJ45, CAT6A 500Mhz, 7,5m, schwarz, S-STP(S/FTP), PUR Indoor/Outdoor/Indu (UV/Water/oil/-resistant), AWG26, mit CAT7 Rohkabel, Synergy 21 |
| 133085   | Patchkabel RJ45, CAT6A 500Mhz,10m, schwarz, S-STP(S/FTP),                                                                                           |



| Part No. | Name                                                                                                                                                   |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | PUR(Außen/Outdoor/Industrie), AWG26, Synergy 21                                                                                                        |
| 205960   | Patchkabel RJ45, CAT6A 500Mhz, 7,5m, weiss, S-STP(S/FTP), PUR(Superflex), Außen/Outdoor/Industrie, AWG26, Synergy 21                                   |
| 205964   | Patchkabel RJ45, CAT6A 500Mhz, 25m, weiss, S-STP(S/FTP), PUR(Superflex), Außen/Outdoor/Industrie, AWG26, Synergy 21                                    |
| 205965   | Patchkabel RJ45, CAT6A 500Mhz, 30m, weiss, S-STP(S/FTP), PUR(Superflex), Außen/Outdoor/Industrie, AWG26, Synergy 21                                    |
| 205966   | Patchkabel RJ45, CAT6A 500Mhz, 40m, weiss, S-STP(S/FTP), PUR(Superflex), Außen/Outdoor/Industrie, AWG26, Synergy 21                                    |
| 205967   | Patchkabel RJ45, CAT6A 500Mhz, 50m, weiss, S-STP(S/FTP), PUR(Superflex), Außen/Outdoor/Industrie, AWG26, Synergy 21                                    |
| 134571   | ALLNET ALL3419 / IP Building-Autom. 3x I2C, 1x USB, LAN/WLAN                                                                                           |
| 104126   | ALLNET ALL3505 / IP Homeautomation Appliance DIN-Rail 8x I2C                                                                                           |
| 157798   | ALLNET ALL3020 / Sensor for humidity and temperature                                                                                                   |
| 232566   | Poynting · Antennen · 5G/LTE · KFZ · A-PUCK-0005-V2-01 · schwarz · SMA (M) & RPSMA Adapter · KFZ/GPS/WIFI 6dbi Antenna 2x LTE/2x DB WIFI 1x GPS 2m SMA |
| 232567   | Poynting · Antennen · 5G/LTE · KFZ · A-PUCK-0005-V2-01-W · weiß · SMA (M) & RPSMA Adapter · KFZ/GPS/WIFI 6dbi Antenna 2x LTE/2x DB WIFI 1x GPS 2m SMA- |
| 232569   | Poynting · Antennen · 5G/LTE · KFZ · A-PUCK-0008-V2-01 · schwarz · SMA (M) & RPSAM Adapter · KFZ/WIFI 6dbi Antenna 2x LTE/1x DB WIFI 2m SMA-M Kabel "S |
| 182958   | ALLNET ALL-RUT22GW Compact Industrial 4G LTE Cellular Router                                                                                           |
| 231733   | ALLNET 19"zbh. Kabelbinder, mit Markierfläche, L100xB2,5mm, 100er Pack, Transparent, Synergy 21,                                                       |